



3200 P

Web: <https://www.witsrl.com/>

Email: info@witsrl.com

SKU: OLD027002

Categories: [Industry pumps](#), [Pneumatic piston airless pumps](#), [Outdated pumps](#)

DESCRIZIONE DEL PRODOTTO

Designed for the needs of small industries and artisans 3200 P is a pneumatic airless device recommended for painting lacquers, varnishes, polyurethanes, furniture polishing, carpentry and craft workshops. 3200 P is driven by patented air motor that requires no lubrication and is not subject to frost. The quick-reversing air motor system ensures a steady flow without pulsation.

THE AIRLESS SYSTEM

the airless method allows a considerable reduction of overspray with three important advantages: reduced paint consumption, considerable working speed, and reduced environmental pollution.

PERFORMANCES

3200 P has a 26:1 ratio and a flow rate per cycle of 18 cm³. The fast-reversing air motor (patented by Taiver) ensures consistent atomization pressure and superior finish quality. Very light and easy to handle, 3200 P has no problems with frost or lubrication in the air motor and can work in all places even in extreme conditions.

TECHNICAL FEATURES

3200 P is designed with cutting-edge technology. The quick-reversing air motor is patented by Taiver and allows the unit to be used without lubricating the air and has no frost problems. The pump cylinder has a special hardening treatment that enables a long service life. The upper parcel is adjustable. The valves are made of tungsten carbide.

APPLICATIONS' FIELD

- Carpentry
- Mechanical Industry
- Door and window fitters
- Carpentry
- Contract painting

APPLICATIONS

- Paint
- Thixotropic products
- Lactics
- Water-based products
- Industrial Epoxy
- Non-abrasive paints
- Two-component

GUNS TO MATCH

- [T-MIX adjustable](#)
- [Airless P 500 TOP GUN](#)
- [Airless T 65 gun](#)