



BLACK S INJECTION

Web: <https://www.witsrl.com/>

Email: info@witsrl.com

SKU: 004200INJ

Categories: [Injection pumps](#), [Injection BLACK series](#)

Dati Tecnici:

Power: 1 hp (0.75 kW)

MAX pressure: 220 bar

Voltage: 230V/50Hz

MAX flow rate: 4.5 L/m

Hose length MAX: 60 m

Weight: 28 kg

|

DESCRIZIONE DEL PRODOTTO

WIT BLACK S INJECTION is an airless pump ideally suited to application of: epoxy and polyurethane (PU) materials for the concrete renovation, insecticides, pesticides, anti-fouling materials for wood protection, emulsion and lacquers for all common surface coatings.

APPLICATIONS

Acrylic gels, epoxy resins, polyurethanes and most single-component products for injection.


APPLICATION'S FIELDS

Injections – Sealing – Infiltrations – Masonry cracks


INJECTION ACCESSORIES:



066002 – hydraulic pressure gauge kit



010328INJ – injection ball valve kit



010328INJ hydraulic pressure gauge kit

066002 hydraulic pressure gauge kit **060017** injection kit (50 cm)



077400

airless gun **060017** injection kit (50 cm)



Injection packer (many different models and sizes available)