



BLACK S

Web: https://www.witsrl.com/ Email: info@witsrl.com

SKU: 4200

Categories: Building Pumps, Electric airless

diaphragm pumps

Dati Tecnici:

Power: 1 hp (0.75 kW)

Flow rate with MAX nozzle: 2.5 l/m

MAX pressure: 220 bar **MAX pipe elevation**: 30 m

Voltage: 230V/50Hz MAX flow rate: 4.5 l/m MAX nozzle size: 0.021 MAX hose length: 30 m

Weight: 28 kg

-



DESCRIZIONE DEL PRODOTTO

FEATURES

BLACK S is an airless electric diaphragm pump designed for the small industries and craftsmen. It is the ideal solution for small-medium works in building, for spraying lacquers, paints, for fornitures polishing, in carpentry and handicraft. The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits. The head block are in aluminium with hard nickel treatment, the valves in tungsten carbide.

The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits.

STANDARD SET UP



6 liters plastic hopper kit (ref. **003850**)





pressure gauge kit (ref. **066000**)



high pressure hose ø 6 mm, length 10 m. (ref. **060020**)



airless gun W650TOP (ref. **077400**)



self cleaning tip c/w seal and guard (ref. **69AXXX**)



APPLICATIONS

Acrylic, anti-rust, emulsions, primers, paints, varnishes, enamels, etc..

APPLICATIONS' FIELD

Indoor and Outdoor Spraying • Renovations • Construction • Industrial • Painting roofs etc..

BLACK SERIES

The new BLACK series pumps are airless, medium and large capacity equipment, designed and improved for spraying all products used in the construction industry, mechanical engineering, carpentry, etc. falegnameria, carpenteria, etc. They are very strong and easy to handle, and maintenance is very simple.