



BOXER 30 (3:1)

Web: <https://www.witsrl.com/>

Email: info@witsrl.com

SKU: 13001

Categories: [Foundry](#), [Pouring and extrusion](#)

DESCRIZIONE DEL PRODOTTO

Double diaphragm pump with 3:1 ratio, it is the ideal solution to carry out those tasks in spraying of highly viscous products that normal pumps with ratios 1:1 would not be able to perform.

Designed to satisfy the needs of medium-heavy carpentry, of wood industry, shipbuilding, the pump "BOXER 30 (3:1)" is available in aluminum anticorodal or stainless steel version . It can be equipped with tube or with tank capacity 6 lt.

CONSTRUCTION SPECIFICATIONS

W BOXER 30 3:1 is a double diaphragm pneumatic pump constructed for the transfer and the supply of all liquid products of medium/high density.

The direct suction from the source container ensures constant supplying. All parts in contact with the fluid are made of a special anti-acid and fire retardant material.

It does not require lubrication or any special maintenance. High reliability. It does not require lubrication or any special maintenance. High reliability.

PERFORMANCES:

- industrial painting
- no special maintenance
- reduced air consumption
- no lubrication

TYPE OF USE

- industrial painting
- painting furniture
- painting plastic
- enamels water-based
- anti-corrosion coatings

- polyurethane
- epossidic
- foundry release agents