



MTV 400

Web: <https://www.witsrl.com/>

Email: info@witsrl.com

SKU: 17590

Categories: [Plastering](#), [Building Pumps](#)

Dati Tecnici:

Power: 3 hp (2.2 kW)

MAX pressure: 30 bar

MAX pipe elevation: 30 m

Voltage: 230V/50Hz

Portata MAX: 20 l/m

Hose length MAX: 60 m

Weight: 100 kg

|

DESCRIZIONE DEL PRODOTTO

MTV 400 is the ideal machine for spreading thermal insulation glue.

W.I.T. company, being aware of the demands from a market increasingly requiring the use of special materials for heat insulation, has created this pump capable of automatically spreading thermal insulation glue on panels.

This is to speed up work and make it easier for the operator.

With its compact size and minimised dimensions, it can be easily handled in small spaces and allows the operator to move around comfortably, while ensuring great efficiency.

Entirely galvanised for better protection against the weather, it features an electric panel with an inverter to guarantee the widest range in flow rate as well as maximised performance.

By a compressor's help, it's possible to prepare pre-mixed.

70 l tank capacity.

PERFORMANCES:

1. light and easy to move
2. hopper capacity: 70 l.
3. hopper in galvanized steel
4. rotor fast reverse motion
5. built in accordance with latest EU rules
6. flat and round spray tips
7. speed electronic control unit
8. product thrust reversal control

* Indicative pumping distance, depending on the quality and composition of the material, diameter and length of pipes.



new lance bear for dense material, electric contact-less switch

ref. 078600E New lance bear with electric contact-less switch has been projected to work with heavy duty materials, such as gypsum, plasters, cement and heavy duty coatings with max. granulometry 3 mm. It offers high performance and it is ideal for professional. La nuova lancia bear è l'unica al mondo a montare un interruttore magnetico CONTACT-LESS, che funziona anche quando la lancia è completamente ricoperta di sporco, per una migliore affidabilità anche nelle condizioni più gravose.



S.S. nozzles set for new lance bear

- **078621** – S.S. nozzle ø 10 mm for new lance bear
- **078622** – S.S. nozzle ø 8mm for new lance bear
- **078623** – S.S. nozzle ø 6 mm for new lance bear
- **078624** – S.S. nozzle ø 4 mm for new lance bear
- **078625** – S.S. flat nozzle for new lance bear



hoses set for MTV 300

- **017801** – electric wire kit for remote control
- **060500** – compressed air hose kit \varnothing 8 mm, length 10 m.
- **060560** – paint hose kit \varnothing 25 mm, length 10 m.



stator and rotor set

- **017121** – stator
- **017120** – rotor