



MTV 500

Web: <https://www.witsrl.com/>

Email: info@witsrl.com

SKU: 17700

Categories: [Building Pumps](#), [Plastering](#)

Dati Tecnici:

Power: 3 hp (2.2 kW)

MAX pressure: 120 bar

Voltage: 230V/50Hz

MAX flow rate: 6.5 l/m

MAX nozzle size: 0.72

|

DESCRIZIONE DEL PRODOTTO

REVOLUTIONARY AIRLESS SCREW PUMP.

The MTV 500 Injection and Plaster pump has been purposely designed for filling of joints between visible stones, for porphyry and general facade, and for consolidation injections.

Being extremely compact, it can be comfortably handled by one single operator.



As for the other machines produced by W.I.T., MTV 500 pump features an electric panel with an inverter, which allows adjustment of the flow rate of the material delivered through the gun. Le piccole dimensioni e la maneggevolezza consentono all'operatore di muoversi in piccoli spazi.

It can be totally disassembled, therefore all its component can be efficiently cleaned.

70 l tank capacity.

SIZE

Loading height	750 mm
Overall height	750 mm
Width	500 mm
Length	1100 mm

Weight

120 Kg

TECHNICAL DETAILS




076800E – airless gun XXL-E electric switch



066009 – high pressure gauge kit



066252 – bag-wrapping MTV 500



tank detail

INJECTION ACCESSORIES



078600E – XXL-E electric switch airless gun



017801 – electric wire kit for remote control



060030 – high pressure hose ø 10 mm, length 10 m.