



## OLD TAIVER P 18000 RATIO 48:1 RATIO 48:1

Web: <https://www.witsrl.com/>

Email: [info@witsrl.com](mailto:info@witsrl.com)

---

**SKU:** OLD018500

**Categories:** [Industry pumps](#), [Pneumatic piston airless pumps](#), [Outdated pumps](#)

## DESCRIZIONE DEL PRODOTTO

18000 P is a high-power pneumatic airless painting machine. Designed for continuous work and high productivity, this unit has a large capacity that allows it to vacuum all products, including dense and thixotropic (normally used in shipyards), fireproofing products, for waterproofing for anti-corrosion. 18000 P is the ideal machine for large industry, to carry out major work in the large carpentry, mechanical engineering and shipbuilding industries where high productivity and the ability to paint continuously are required.

## THE AIRLESS SYSTEM

The airless method allows a considerable reduction of overspray with three important advantages: reduced paint consumption, considerable working speed, and reduced environmental pollution.

## PERFORMANCES

- Tungsten carbide valve seats
- Anti-wear treated shaft
- Built-in line filter
- Air motor with lubrication
- Automatic adjustment of seal packs

## TECHNICAL FEATURES

18000 P is robustly and reliably designed. Automatic adjustment of the seal packs in relation to their wear and tear allows for long pack life and better utilization of the device's performance. Maintenance is very simple and quick. The produced piston is treated in hard chrome. The valve seats are made of tungsten carbide.

## APPLICATIONS' FIELD

- Shipbuilding industry
- Construction industry
- Large mechanical industry
- Fire retardant coatings

## APPLICATIONS

- Fire retardant paints
- Thixotropic products
- Lactics
- Water-based products
- Solvent-free epoxy
- Non-abrasive paints
- Two-component

## GUNS TO MATCH

- [Airless P 500 H](#)
- [Airless P 500 SS](#)